

11-14-00

7

11/09/00

11/09/00 U.S. PTO

## PATENT APPLICATION TRANSMITTAL LETTER

(Large Entity)

Docket No.

200

## TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

MARK A HOLLAR

For: METHOD AND APPARATUS FOR DETERMINING DIGITAL A/V CONTENT DISTRIBUTION TERMS

ON DETECTED PRIVACY LEVELS

Enclosed are:


- ☒ Certificate of Mailing with Express Mail Mailing Label No. EM540362032US
- ☒ 12 FORMAL sheets of drawings.
- ☐ A certified copy of a application.
- ☒ Declaration ☒ Signed. ☐ Unsigned.
- ☐ Power of Attorney
- ☒ Information Disclosure Statement
- ☐ Preliminary Amendment
- ☒ Other: ASSIGNMENT AND ASSIGNMENT RECORDATION FORM

## CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	73	- 20 =	53	x \$18.00	\$954.00
Indep. Claims	5	- 3 =	2	x \$80.00	\$160.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$710.00
TOTAL FILING FEE					\$1,824.00

- ☐ A check in the amount of to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. 13-0762 as described below. A duplicate copy of this sheet is enclosed.
- ☒ Charge the amount of as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☒ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated: NOVEMBER 8, 2000

  
 Signature
FRANK NGUYEN  
REG. NO. 39790

cc:

**CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10)**Applicant(s): **Mark A Hollar**

Docket No.

**200**

Serial No.

Filing Date

Examiner


Group Art Unit

Invention: **METHOD AND APPARATUS FOR DETERMINING DIGITAL A/V CONTENT DISTRIBUTION TERMS  
BASED ON DETECTED PIRACY LEVELS**

I hereby certify that the following correspondence:

**TRANSMITTAL LETTER, SPECI W/ DRAWINGS; SIGNED ASSIGNMENT AND RECORDATIONS SHEET,  
INFORMATION DISCLOSURE WITH CITED REFERENCES, SIGNED DECLARATION***(Identify type of correspondence)*

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under  
37 CFR 1.10 in an envelope addressed to: The Assistant Commissioner for Patents, Washington, D.C. 20231 on

11/9/04*(Date)***ANNE KILLINGSWORTH***(Typed or Printed Name of Person Mailing Correspondence)**(Signature of Person Mailing Correspondence)***EM540362032US***("Express Mail" Mailing Label Number)***Note: Each paper must have its own certificate of mailing.**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
APPLICATION FOR PATENT

5       **METHOD AND APPARATUS FOR DETERMINING DIGITAL A/V CONTENT  
DISTRIBUTION TERMS BASED ON DETECTED PIRACY LEVELS**

Inventor: Mark A. Hollar

10       **FIELD OF THE INVENTION**

15       The present invention generally relates to the distribution of copyrighted material and in particular, to a method and apparatus for determining digital audio-visual ("A/V") content distribution terms based on detected piracy levels.

**BACKGROUND OF THE INVENTION**

20       The unauthorized copying and distribution (also referred to herein as "piracy") of audio-visual content such as motion pictures, music, the spoken word, photos or printed text has and continues to be a major problem for owners of such content. For example, the Recording Industry Association of America ("RIAA") has asserted that physical goods piracy costs the United States recording industry alone  
25       hundreds of millions of dollars a year, and around the world, many billions of dollars annually.

30       With the advent of the Internet and the growing popularity of digital A/V content, the problem of piracy has grown to new dimensions. The availability of these and other new technologies have made the problem of unauthorized copying so pervasive that virtually anyone owning a personal computer or Internet appliance can be a participant in copyright infringement. Under such circumstances, the rights

of copyright owners are increasingly being violated and their rightful profits lost.

### Audio Distribution

Music type A/V content, for example, is easily  
5 generated today from audio compact disc ("CD") using "ripper"  
software. As shown in **FIG. 1**, to generate A/V content **104**,  
original audio on a CD **101** is played on an optical drive **102**  
and CD "ripper" software **103** creates the digital A/V content  
**104** from the output of the optical drive **102**. Preferably,  
10 the A/V content **104** is in the form of a computer file in the  
MP3 format. A/V content **104** created in this way is a quite  
accurate representation of the original audio. Once created,  
it is an easy matter to transfer the A/V content **104** over the  
Internet **111** to other parties without the receiving parties  
15 paying for the rights to the audio. For example, the growth  
of online music communities, such as can be found at  
[www.napster.com](http://www.napster.com), or formed as a Gnutella community through  
software made available at [www.gnutella.wego.com](http://www.gnutella.wego.com), facilitate  
a viral-type spread of audio content as music consumers  
20 browse and transfer content freely and easily between  
themselves without compensation to the content owners.

**FIG 1** illustrates an example of a Napster virtual  
network **100**. A list server computer **105** has a memory **106**  
storing list data **107** that includes the identities of  
25 consumer client computers currently on-line, the music or  
other A/V content available from each consumer client  
computer, and the Internet connection speed associated with  
each consumer client computer. In this example, consumer  
client computers **108**, **109** and **110** are currently on-line,  
30 having contacted and made a connection with the list server  
computer **105** over the Internet **111**. Consumer client  
computers **108**, **109** and **110** interact with the list server

computer **105** in a classic client-server relationship to access the list data **107** over the Internet **111**. This allows operators of consumer client computers **108**, **109** and **110** to then select which music and from which other consumer client computer to transfer music from. For example, as depicted by dotted lines in **FIG. 1**, if the operator of consumer client computer **109** has selected A/V content **104** to download from consumer client computer **108**, then consumer client computer **109** interacts with consumer client computer **108** in a client-server type manner to transfer a copy of the A/V content **104** to its memory **113**.

In the case of Napster-type sites such as depicted in **FIG. 1**, the list server **105** doesn't actually store music, nor does the music ever actually transit through the list server **105** or its memory **106**. The list server **105** does maintain the centralized data list **107**, however, and consequently, the person or entity that generates the centralized data list **107** on the list server **105** may be subject to legal liability. To avoid the visibility that the centralized data list serving entity provides, other methods for transferring music between cooperating parties have been devised. One such method is the Gnutella community approach.

**FIG. 2.** illustrates an example of a Gnutella virtual network **200**. In this case, there is no list server. Each of the consumer computers **201**, **202**, **203** and **204** may act as either a client or a server, depending upon whether it is receiving music from or transferring music to another consumer computer. When running the Gnutella application software, each of the consumer computers **201**, **202**, **203** and **204** maintains a list of other consumer computers that it knows the IP address of in the Gnutella virtual network **200**. A special feature of the Gnutella application software is

that each of the consumer computers **201**, **202**, **203** and **204** need only know the IP address of one other consumer computer in the Gnutella virtual network **200** to provide access to all consumer computers **201**, **202**, **203** and **204** in the Gnutella virtual network **200**. Each of the consumer computers **201**, **202**, **203** and **204** is then able to submit search queries to the Gnutella virtual network **200** and receive search results. Thus, when an operator of one of the consumer computers **201**, **202**, **203** and **204** finds a piece of music that he or she desires to obtain, they can indicate this to the Gnutella application software, and the Gnutella application software facilitates a direct transfer from a consumer computer including such music to the requesting consumer computer through the Internet **205**. As an example, the solid lines between the consumer computers **201**, **202**, **203** and **204** and the Internet **205** are representative of the transfer of search queries and search results between the consumer computers **201**, **202**, **203** and **204**. The dotted lines, on the other hand, are representative of an actual transfer of a copy of music **214** from the consumer computer **203** to the consumer computer **204** through the Internet **205** after the operator of consumer computer **204** has made a selection of that music.

**FIG. 3** illustrates an example of a coupling diagram for the Gnutella virtual network **200** where Alice, Charlie, Eve and Bob are pseudonyms for consumer computers **201**, **202**, **203** and **204** respectively. In the example, Alice knows that Charlie is coupled to the Gnutella virtual network **200** (i.e., Charlie is on-line) since she knows his IP address, but does not know that Eve and Bob are coupled to the Gnutella virtual network **200**; Charlie knows that Alice and Eve are coupled to the Gnutella virtual network **200** (i.e., Alice and Eve are on-line) since he has their IP addresses, but does not know that

Bob is coupled to the Gnutella virtual network **200**; Eve knows that Bob and Charlie are coupled to the Gnutella virtual network **200** (i.e., Bob and Charlie are on-line) since she knows their IP addresses, but does not know that Alice is coupled to the Gnutella virtual network **200**; and Bob knows that Eve is coupled to the Gnutella virtual network **200** (i.e., Eve is on-line) since he knows her IP address, but does not know that Alice and Charlie are coupled to the Gnutella virtual network **200**. As can be appreciated, since Alice, Charlie, Eve and Bob do not know the identities of all other consumer computers coupled to the Gnutella virtual network **200**, the Gnutella application software provides protective anonymity to the unknown consumer computers shielding them from detection and possible prosecution for copyright infringement.

There have been initiatives to create secure environments for the download, distribution and listening of digital music from the Internet from groups such as the Secure Digital Music Initiative (SDMI). This system uses encryption to control access to music content and watermarks or embedded data to control equipment (either to control recording or control playback) once the content has been decrypted. This system has the disadvantage that it requires introduction of a completely new class of portable music player devices before it is effective. If these devices prove to be unacceptable in the marketplace, then the SDMI system is ineffective and does nothing to encourage consumers to purchase legal copies of digital A/V content versus continuing to rip and transfer music derived from CD's.

Theatrical Presentation:

Movie content owners obtain a significant portion of their return on investment in the production of a movie during the theatrical release. The theatrical release  
5 precedes the release to other channels such as in-flight entertainment, cable TV pay-per-view channels or videotape in order to maximize the return on the investment. Content distributed illegally during the theatrical release represents a reduction in the content owner's early rate of  
10 return. With current film-based theatrical presentation, the use by pirates of a camcorder in a theater provides the primary mechanism for obtaining movie content during the theatrical release window.

The introduction of digital content into theater  
15 operations allows for the use of automation systems in theaters. A theater automation system allows a theater owner to operate his facility with a smaller staff size, to more rapidly ramp up and ramp down the number of screens available for any particular piece of content, and to provide for an  
20 overall improvement in the efficiencies of his operations. These theater automation systems also allow the theater operator to rapidly communicate box office information to the distributor thus allowing the distributor and eventually the copyright holder to operate more efficiently.

25 **FIG. 4** illustrates an example of a digital theater system **400** that allows for the distribution of movies in a high quality digital form. A distribution server **401** distributes the movies to a theater client **402** through a secure transmission path **403** using satellite or fiber optic,  
30 or alternatively, by optical or magnetic media (not shown). The projection of the movie content in a digital theater is likely to provide a superior picture quality compared to film



thus making the movie displayed in this venue more desirable as the source for a movie pirate's operation. The distribution server **401** transmits encrypted content through the transmission path **403** (or alternatively, the media) to enhance the content's security, and the theater client **402** has a decrypter **404** for decrypting the movie before sending it to a projector **405** for display on a theater screen **406**. Despite such protection, however, there are various points where the movie content is available in an insecure form.

For example, a pirate camcorder **407** might record the movie playing on the theater screen **406** so that the recorded movie may be distributed through pirate distribution channels **408**. As another example, other points of vulnerability to pirating may be the interface between a playback device (not shown) and the projector **405** or some point within the projector **405**.

Generally, a theater operator is under some obligation to the content owner to attempt to limit his customer's attempts to illegally make copies with a camcorder within his theater. Obviously, he is also obligated to ensure that his employees who have access to movie content adhere to the law. As such, a copyright owner can legitimately argue that a theater which is a source of pirated movies should be obliged to compensate the copyright owner appropriately if that theater is a source of pirated content.

#### Post-Production:

The current process for producing a movie entails the distribution of tasks among a large number of employees and contractors. As depicted in **FIG. 5**, with the rapid increase in the capability of computers and networks, such a process often involves the distribution of pieces of a movie

or other A/V content from a central publisher computer 501  
out to contractor computers 502, 503 and 504 to provide for a  
distributed work environment 500. This distributed work  
environment improves the efficiency of the production process  
5 but also makes a greater portion of the A/V content 506  
vulnerable to copying or inappropriate re-distribution  
through pirate distribution channels 513. Piracy from the  
post-production work environment can sometimes even result in  
pirated movies hitting the street prior to theatrical  
10 release. Again, this negatively impacts the content owner's  
revenue stream.

#### OBJECTS AND SUMMARY OF THE INVENTION

Accordingly, it is an object of the present  
15 invention to provide a method and apparatus for distributing  
A/V content and other protected material that compensates in  
some fashion rights holders of such material against losses  
incurred by unauthorized copying of the protected material.

Another object is to provide a method and apparatus  
20 for generating a database of unauthorized copying of  
protected material for use in a method or apparatus for  
distributing A/V content and other protected material.

These and additional objects are accomplished by  
the various aspects of the present invention, wherein briefly  
25 stated, one aspect is a computer implemented method for  
distributing protected material. The method comprises  
ascertaining terms for providing a protected material to a  
prospective recipient according at least in part to  
information of unauthorized copying of other protected  
30 material previously provided to the prospective recipient;  
and providing or withholding a copy of the protected material  
to the prospective recipient in accordance with the terms.

Another aspect is an apparatus for distributing protected material. The apparatus includes a computer having a first set of program code. The first set of program code serves to ascertain terms for providing a protected material  
5 to a prospective recipient according at least in part to information of unauthorized copying of other protected material previously provided to the prospective recipient. The first set of program code also thereupon serves to provide or withhold a copy of the protected material to or  
10 from the prospective recipient in accordance with the terms.

Another aspect is a computer implemented method for generating a database of unauthorized copying of protected material. The method comprises: detecting at least one identification embedded in a copy of protected material  
15 procured from a distribution channel; and storing information of the protected material according to the at least one identification in a database so as to be indicative of unauthorized copying of the protected material.

Another aspect is an apparatus for generating a  
20 database of unauthorized copying of protected material. The apparatus includes a computer having a first set of program code. The first set of program code serves to detect at least one identification embedded in a copy of protected material procured from a distribution channel, and store  
25 information of the protected material according to the at least one identification in a database so as to be indicative of unauthorized copying of the protected material.

Still another aspect is an system for distributing protected material, and detecting unauthorized copying of  
30 such material. The system includes a detection server having a first program for detecting identifications embedded in copies of protected materials procured from at least one distribution channel, and storing information of the

protected materials according to the identifications in a database so as to be indicative of unauthorized copying of the protected material. The system also includes a distribution server having a second program for ascertaining  
5 terms for providing a copy of a protected material to a prospective recipient according at least in part to the information in the database, and providing or withholding a copy of the protected material to the prospective recipient in accordance with the terms.

10 Additional objects, features and advantages of the various aspects of the present invention will become apparent from the following description of its preferred embodiments, which description should be taken in conjunction with the accompanying drawings.

15 **BRIEF DESCRIPTION OF THE DRAWINGS**

**FIG. 1** illustrates, as an example, a block diagram of a Napster virtual network.

20 **FIG. 2** illustrates, as an example, a block diagram of a Gnutella virtual network.

**FIG. 3** illustrates, as an example, a network diagram of a Gnutella virtual network.

**FIG. 4** illustrates, as an example, a block diagram of a digital theater system.

25 **FIG. 5** illustrates, as an example, a block diagram of a distributed work environment.

**FIG. 6** illustrates, as an example, a block diagram of a distribution server system for directly distributing A/V content, utilizing aspects of the present invention.

**FIG. 7** illustrates, as an example, a block diagram of a distribution server system for indirectly distributing A/V content, utilizing aspects of the present invention.

**FIG. 8** illustrates, as an example, a flow diagram of a method of distributing protected material, utilizing aspects of the present invention.

**FIG. 9** illustrates, as an example, a block diagram a detection server system for generating a database of unauthorized copying of A/V content, utilizing aspects of the present invention.

**FIG. 10** illustrates, as an example, a flow diagram of a method of generating a database of unauthorized copying of protected material, utilizing aspects of the present invention.

**FIG. 11** illustrates, as an example, a system for distributing A/V content to digital theaters and detecting unauthorized copying of such A/V content, utilizing aspects of the present invention.

**FIG. 12** illustrates, as an example, a system for distributing A/V content to contractors and detecting unauthorized copying of such A/V content, utilizing aspects of the present invention.

#### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

As used herein: the terms "material" and "content" may be used interchangeably; "audio-visual content" or "A/V content" includes motion pictures, music, the spoken word, photos or printed text; "protected material" means material protected by contract or intellectual property law, and includes A/V content; "recipient" means a party or a computer that has received protected material; "prospective recipient"

means a party or a computer that has requested protected material; and "computer" includes a workstation, a personal computer, an information appliance, a set top-box, and any other connected device having bi-directional communications capability.

#### Distribution Server

**FIG. 6** illustrates a distribution server system **600** for directly distributing A/V content **603**. Three distribution means are depicted - tangible media such as compact disc ("CD") or digital versatile disc ("DVD") **608**, the Internet **609**, and a direct line connection **613**. In a given application of the distribution server system **600**, any one, two or all three of these distribution means may be employed. Also depending on the application, the A/V content **603** may take different forms such as one or more movies, one or more music recordings, one or more publications, or combinations of such different forms. The tangible media may also take different forms such as magnetic disk or tape, or any other tangible media upon which A/V content can be stored for future playback.

As an example, in a music distribution application, consumers may download selections of music recordings stored in memory **602** as A/V content **603** through the Internet **609**.

As another example, in a digital theater application, some theater clients may receive selections of movies stored in memory **602** as A/V content **605** through the direct line connection **613**. Alternatively, other theater clients may receive selections of movies through hard media such as DVD **608**. As still another example, in a post-production or distributed work environment application, contractors may

receive A/V content **603** for further processing or post-production work through any one of the distribution means.

Included in the distribution server system **600** are a distribution server computer **601** that processes requests  
5 for selections from the A/V content **603**, a database **606** stored in memory **605** including terms of distribution and certain information regarding prospective recipients of the selections, and an identification ("ID") embedder **604** for embedding a content identification and a recipient  
10 identification on a copy of each selection prior to providing that copy to the recipient. A CD writer **607** is also included when a copy of the selection is provided on a CD.

Embedding of the content identification (e.g., a unique identification number for a selected musical  
15 recording, movie or publication) and the recipient identification (e.g., consumer credit card number, computer serial number, or network interface card IP address) by the ID embedder **604** is performed using a steganographic technique so as to deter removal of such information from the copy  
20 being provided. Steganographic techniques are especially useful for this purpose, because the embedded information is hard to detect, and attempts to remove such information generally result in severe degradation of the remaining material. Alternatively, watermarking techniques may also be  
25 used to embed the content and recipient identifications on the copy to be provided.

The database **606** may be given different names depending upon the application that the distribution server system **600** is being used for. For example, in applications  
30 where A/V content **603** is being leased or sold, it may be referred to as a "Price Structure" database. In applications involving contractors, it may be referred to as a "Bid

Structure" database. Regardless of its name, the database **606** contains two basic types of information - algorithms or formulas for determining terms for providing a copy of the selected content from the A/V content **603**, and information of unauthorized copying of other A/V content previously provided to recipients of such A/V content. This latter type of information is referred to as the recipient's "piracy history", and provides the basis for adjustment of the standard terms and conditions for a prospective recipient through the provided algorithm or formula. The adjustment could take the form, for example, of a discount to standard pricing for a good piracy history, a premium to standard pricing or complete withholding of a requested selection for a bad piracy history, or perhaps issuance of coupons for subsequent purchases or even awards of some other kind depending upon the prospective recipient's piracy history.

The recipient identification may take a number of different forms. Where a recipient computer such as **610** or **614** is used to communicate with the distribution server **601** to request and receive selections of the A/V Content **603**, the recipient identification may be the unique serial number of the computer's microprocessor, or unique IP address associated with the computer's network interface card. Alternatively, the recipient identification may be associated with the operator of the recipient computer or the individual requesting the selection without the use of a computer. In such cases, a credit card number of the operator or the individual may be used for the recipient identification. Alternatively, electronic signatures or biometric information may be used for the recipient identification as use of such become accepted in electronic commerce.



The release of credit card information may potentially be viewed as less intrusive, and already a part of a consumer's normal e-commerce transaction psychology, then the collection of biometric information on the consumer or the serial number or IP address associated with the consumer's computer. While some consumers may be loathe to reveal their credit card information, a pricing differential based on their willingness to allow that information to be embedded in the received copy of their selection is also possible (i.e., allow the embedding of the information and obtain a discounted rate, or prohibit the embedding and pay a premium rate). To enhance privacy, an encrypted version of the credit card number or an index number or alias that is related to the purchaser's credit card number may alternatively be used as the recipient identification.

If a prospective recipient spoofs the identification of another, then subsequent detection of unauthorized copying for selections of A/V content **603** provided to the spoofing recipient could be wrongly attributed to the spoofed party. This would negatively impact the spoofed party while removing any impact to the spoofing recipient. To minimize such activity, a secure channel between the prospective recipient and the distribution server **601** is desirable. In addition, a means for the distribution server **601** to authenticate the identification of the prospective recipient would be necessary. Any one of a number of authentication protocols are available for this purpose (see, e.g., Schneier, Bruce, Applied Cryptography: Protocols, Algorithms, and Source Code in C, 2nd Edition, John Wiley & Sons, 1995).

**FIG. 7** illustrates a distribution server system **700** for indirectly distributing A/V content **703**. The

distribution server system **700** is indirect, because the consumer purchases a CD **711** through a retail outlet rather than directly from the distribution server **701**. As part of the purchasing process, a retailer client **708** transmits its  
5 identification, the identification of the purchaser, and the selection of A/V content **703** requested by the purchaser to the distribution server **701**. The transmission is by direct line connection **707** which may be cable, ISDN, DSL or any other suitable high-speed transmission path. The  
10 distribution server **701** checks the piracy history of the retailer and the purchaser from its database **706**, and transmits terms for the transaction based on those piracy histories back to the retailer client **708**. The terms are generally determined from one or more formulas or algorithms  
15 stored in database **706** or some other part of memory **705** or memory **702**.

If the purchaser accepts the transaction terms, then the retailer client **708** transmits a download request back to the distribution server **701**. The distribution server  
20 **701** receives the request, and causes an ID embedder **704** to embed a content identification, the retailer identification and the purchaser identification in an electronic copy of the purchaser's selection from the A/V content **703**. The embedding can be by a conventional steganographic or  
25 watermarking technique. The distribution server **701** then transmits the electronic copy back to the retailer client **708** over the high-speed transmission path **707**. The retailer client **708** receives the electronic copy, and causes a CD writer **709** to generate the CD **710** from the electronic copy.  
30 The hard copy CD **710** with the embedded identifications is then sold to the purchaser in a conventional retail transaction.

**FIG. 8** illustrates a flow diagram of a method **800** of distributing protected material. In **801**, a distribution server computer such as **601** in **FIG. 6** (simply referred to herein as "distribution server") establishes a connection  
5 with a client computer such as **610** or **614** in **FIG. 6** (simply referred to herein as "client") at the client computer's request. The server and client are denoted as such in this example since they are establishing a conventional server-client relationship. In **802**, the distribution server  
10 receives a content identification from the client for A/V content requested by the client. The content identification is in the form of a number uniquely identifying the requested A/V content. In **803**, the distribution server sets an index to the content identification. In **804**, the distribution  
15 server obtains standard pricing and a price modification algorithm corresponding to the requested A/V content. The pricing and modification algorithm are stored in a memory of the distribution server.

In **805**, the distribution server requests the client  
20 for its identification. The client identification may be the serial number of the client computer or the IP address of its network interface card, or it may be an identification of a requesting party. In that case, the identification may be a credit card number, an electronic signature or biometric data  
25 of the individual. In **806**, the client either complies or refuses to comply with identification request. If the client refuses to provide the identification, then in **807**, the distribution server indicates to the client that the requested A/V content is not available unless the requested  
30 identification is provided. Then jumping to **819**, the distribution server tears down the connection with the client to end the session. On the other hand, if the client

complies and provides the requested identification, then in **808**, the distribution server checks to see if there is a record of the client identification in a piracy history database such as **606** in **FIG. 6**.

5           If there is such a record, then in **811**, the distribution server obtains a price modification parameter from the piracy history database that indicates a history of unauthorized copying of previously provided A/V content to that client identification. On the other hand, if there is  
10 no record of the client identification in the database, then in **809**, the distribution server sets up a record for that client identification in the database. In **810**, the distribution server next sets the counters in the database for that client identification to zero. The distribution  
15 server would then perform **811**. In this case, however, the price modification parameter should be zero since it is a first record for that client identification.

          In **812**, the distribution server applies the price modification parameter to the standard pricing and price  
20 modification algorithm to obtain modified pricing for the requested content. In **813**, the distribution server provides the modified pricing to the client for approval. In **814**, if the client does not return an approval, then the distribution server jumps to **819**, and tears down the connection to the  
25 client to end the session. On the other hand, if the client returns an approval, then in **815**, the distribution server obtains the requested selection of A/V content from its memory, and in **816**, provides the client identification, the content identification, and the requested A/V content to an  
30 ID embedder such as **604** in **FIG. 6**.

          In **817**, the ID embedder embeds the client and content identifications into a copy of the requested A/V

content. The ID embedder is a program that can be run on the distribution server, or on another computer so as to free up the distribution server to perform other important tasks. When performed by another computer, the distribution server  
5 may periodically poll the other computer to determine whether the ID embedding function has been completed. A steganographic or watermarking technique is used for the embedding of the identifications into the copy of the requested A/V content. After the embedding function is  
10 completed, then in **818**, the distribution server provides an electronic copy of the A/V content with embedded identifications to the client. In **819**, the distribution server then tears down the connection with the client and ends the session.

15 The method **800** is employed by the distribution server system **600** to directly distribute A/V content. Modification of the method **800** to indirectly distribute A/V content such as performed by distribution server system **700** is straightforward. For the indirect distribution of A/V  
20 content, in addition to requesting, receiving, checking the piracy history of, and embedding the content and client identifications, a consumer identification is also requested, received, checked for piracy history, and embedded in the copy of the requested A/V content provided to the consumer.

#### 25 Detection Server

**FIG. 9** illustrates a detection server system **900** for generating a database **904** of unauthorized copying of A/V content such as that distributed by the distribution server  
30 systems **600** of **FIG. 6** and **700** of **FIG. 7**. A detection server **901** processes A/V content sampled from the Internet **908** and other distribution channels **909** to generate information for

the database **904**. Although A/V content is sampled in this example from both the Internet **908** and non-Internet distribution channels **909**, in certain applications it may be appropriate to sample from one or the other, but not both.

5 The detection server system **900** may also be employed to generate the databases **606** of **FIG. 6** and **706** of **FIG. 7**.

The detection server **901** samples A/V content over the Internet **908** in this example from sharing groups **905** and distribution sites **906**. Typical types of sharing groups **905** include the Napster virtual network **100** of **FIG. 1** and the Gnutella virtual network **200** of **FIG. 2**. To sample A/V content from such sharing groups **905**, the detection server **901** participates as a member of the group such as consumer computer **109** in the Napster virtual network **100** or consumer computer **204** in the Gnutella virtual network **200**. It should be appreciated that the behavior of the detection server **901** during such sampling must fit within a profile typical of consumer computers in such groups in order to ensure that suspicions are not aroused by its downloading activities.

20 Failure to maintain a profile similar to a typical consumer computer in such groups could result in the other consumer computers, in the case of the Gnutella virtual network **200**, or the list server, in the case of the Napster virtual network **100**, "banning" the detection server **901** from the sharing group. In such a situation, it may be necessary for the detection server **901** to dynamically alter its identity to ensure its on-going ability to perform sampling.

Examples of Internet distribution sites **906** include on-line store sites, on-line auction sites, and other Internet sites with collections of A/V content available for sale or trade. On the other hand, examples of non-Internet distribution channels **909** include typical distribution

30

channels used for distributing pirated materials such as flea markets, and typical retail distribution channels such as bricks-and-mortar type stores. Whereas sampling of A/V content from the Internet results in procuring samples in electronic form, sampling of A/V content from non-Internet distribution channels **909** typically result in procuring samples of A/V content in magnetic or optical media form such as tape, CD or DVD. In this latter case, a digital tape, CD or DVD player first reads the A/V content and passes it in electronic form to the detection server **901** for processing.

Each sample of A/V content received by the detection server **901** preferably has an identification of the A/V content and an identification of the original recipient of the A/V content embedded in it. To protect the embedded identifications from being easily located in the A/V content and stripped off by copyright pirates, steganographic or watermarking techniques are employed to permanently embed the identifications in the A/V content. ID embedder **604** of distribution server system **600** described in reference to **FIG. 6** and ID embedder **704** of distribution server system **700** described in reference to **FIG. 7** are two means of embedding such information in the A/V content.

After the distribution server **901** receives a sampled copy of A/V content, it passes the copy to an ID detector **902** to read the embedded content and recipient identifications. The ID detector **902** employs a decryption algorithm that is related to the steganographic or watermarking technique originally employed to embed the identifications into the A/V content. Since the decryption algorithm uses information of where and how the identifications are embedded in the A/V content, it is

straightforward for the decryption algorithm to separate the embedded identifications from the underlying A/V content.

The detection server **901** then updates information stored in the database **904** with the content and recipient identifications extracted by the ID detector **902** from the sampled copy of A/V content. A record including the content and recipient identifications for the A/V content was previously created in the database **904** by a distribution server system such as the distribution server system **600** of **FIG. 6** or the distribution server system **700** of **FIG. 7** at the time a copy of the A/V content was first distributed to the recipient corresponding to the recipient identification. The detection server **901** updates that record with the extracted content and recipient identification by incrementing a counter in the record. The only exception to such incrementing is when the detection server **901** detects a first sampling of a hard copy of A/V content that was transferred such as CD or DVD **608** of **FIG. 6** or **710** of **FIG. 7**. Since the original hard copy of the A/V content is freely transferable, the first sampling is not counted since it may be that original copy. The resulting count of the counter in the record therefore represents the number of unauthorized copies detected of the identified content and recipient.

By collecting a large body of information in the database **904**, a price or terms adjustment to the standard pricing for subsequent purchases of A/V content by recipients in record can provide incentives or penalties for unauthorized copying of prior received A/V content based on things such as:

- The volume of unauthorized copying detected.
- The geographical dispersion of the unauthorized copies.



- The variety of titles unlawfully distributed by a recipient.
- The variety of media types on which unauthorized copies of A/V content is detected (i.e., Internet only, CD only, both, etc.).
- The lack of any history of unauthorized copying attributed to a recipient.

**FIG. 10** illustrates a flow diagram of a method **1000** of generating a database of unauthorized copying of protected material. In the example, a detection server such as **901** of **FIG. 9** samples A/V content available from a Napster virtual network such as **100** of **FIG. 1**. Modifications of the method to sample other sharing groups such as described in reference to **905** of **FIG. 9** and distribution sites such as described in reference to **906** of **FIG. 9** are straightforward. Also, modification of the method to process samples received from non-Internet distribution channels such as described in reference to **909** of **FIG. 9** is also straightforward.

In **1001**, the detection server sets up a connection with the Napster list server. In **1002**, the detection server reads the list of A/V content available from various consumer computers (also referred to simply as "clients") in the Napster virtual network, and identifies one title of A/V content of suspicious distribution nature. The identification in this case may simply result from the fact that the title is known to be a hotly pirated piece of A/V content. On the other hand, the identification may result from complex statistical analysis of the list data. In **1003**, the detection server then identifies a consumer computer holding the identified suspicious A/V content. The identification in this case may be based on a "first on the list" basis, or the identification may be based upon a

consumer computer's past history of unauthorized copying as found in prior records of the database that the detection server is generating. In this latter case, it would be necessary to associate the consumer computers with recipient  
5 identifications in the records of the database.

In **1004**, the detection server sets up a connection with the identified consumer computer. The connection is made possible by connecting to the address provided on the list from the list server. In **1005**, the detection server  
10 obtains a copy of the identified A/V content from the identified consumer computer, and in **1006**, the detection server then tears down the connection with the identified consumer computer.

In **1007**, the detection server provides the obtained  
15 copy of the A/V content to an ID detector (also referred to simply as a "watermark detector" in this example) such as described in reference to **902** of **FIG. 9**. In **1008**, the detection server periodically checks whether the ID detector has completed its task of reading the content and original  
20 recipient identifications embedded in the A/V content. Upon completion, in **1009**, the detection server sets up a connection with a distribution server such as described in reference to **601** in **FIG. 6** or **701** in **FIG. 7**. In **1010**, the detection server then transmits the content and recipient  
25 identifications to the distribution server so that the distribution server, in this case, may update the database of unauthorized copying. In **1011**, the detection server then tears downs the connection with the distribution server. In **1012**, the detection server determines whether it should  
30 continue sampling A/V content from the Napster list. If the answer is yes, then the detection server jumps back to **1002**. On the other hand, if the answer is no, then in **1013**, the

detection server tears down the connection with the list server and ends its session.

#### Distribution/Detection System

5           Currently operating digital theater systems utilize a physical mail system with hard drives to distribute encrypted and compressed movies for subsequent projection by a digital projector. Digital projectors have been proposed, demonstrated or deployed which are based on either a digital  
10 micromirror device (Texas Instruments) or light amplifiers (Hughes-JVC). In the future, it is anticipated that distribution of content to these digital theaters could occur by satellite, fiber optic cables, microwave, magnetic tape media or optical media. It is generally accepted that  
15 digital theater systems must provide a variety of security features to include encryption.

**FIG. 11** illustrates a system **1100** for distributing A/V content to a digital theater system and detecting unauthorized copying of such A/V content. In this example,  
20 the system **1100** includes four major subsystems: a distribution server subsystem, a digital theater subsystem, a pirate subsystem, and a detection server subsystem.

          The distribution server subsystem includes a distribution server **1101** for controlling the distribution  
25 process, a memory **1102** for storing A/V content **1103** that is to be distributed, an ID embedder **1104** for embedding a content identification into each copy of the A/V content **1103** that is distributed, an encrypter **1105** for encrypting each copy of the A/V content **1103** that is distributed, and a  
30 memory **1106** for storing a database **1107** including information on unauthorized copying of previously distributed A/V content. The memories **1102** and **1106** may be the same or

different mass storage devices. Terms for the distribution include standard pricing and a pricing adjustment algorithm stored in memory **1106**. Alternatively, such terms could also be stored in memory **1104**. The pricing adjustment algorithm depends on information of unauthorized copying of A/V content previously distributed to the digital theater system. The A/V content **1103** in this case is a digital movie, and the content identification for the digital movie is a "print" number. Encryption of the copy prior to transmission ensures a secure transmission. The distribution server **1101** controls the ID embedder **1104** and the encrypter **1105**, and transmits the encrypted copy of the A/V content **1103'** under terms determined from information in the database **1107** over the transmission path **1108** to the digital theater subsystem.

The digital theater subsystem includes a theater client computer **1109** for controlling the presentation process, a memory **1118** for storing the encrypted A/V content **1103'** received from the distribution server subsystem, a decrypter **1110** for decrypting the stored copy of A/V content **1103'**, an ID embedder **1111** for embedding a recipient identification in the decrypted copy of A/V content **1103**, a digital projector **1112** for projecting images from the processed A/V content **1103**, and a screen **1113** for displaying the projected images to an audience.

The theater client computer **1109** controls the presentation process so that at the appropriate time for playing the digital movie, it retrieves the encrypted A/V content **1103'** from the memory **1118**, causes the decrypter **1110** to decrypt the encrypted A/V content **1103'**, causes the ID embedder **1111** to embed the recipient identification in the decrypted copy of the A/V content **1103**, and causes the

digital projector **1112** to project images from the thus processed A/V content **1103**. The recipient identification in this case is a number or code that uniquely identifies, for example, the theater, the projector, and the date and time of projection. The embedding employs a steganographic or watermarking technique. Since the embedding is persistent and transparent to the human psycho-visual system, its presence does not interfere with the enjoyment of viewing the movie.

The pirate subsystem simply includes a camcorder **1114** that a pirate uses to record an unauthorized copy of the A/V content **1103** from the screen **1113** ("pirated copy"), and distribution channels **1115** for distributing copies of the pirated copy. When the pirate records the movie off the screen **1113**, however, the pirated copy will still include the "Print ID", "Theater ID", "Projector ID" and date and time stamp information embedded within it.

The detection server subsystem samples A/V content distributed through distribution channels **1115**, detects unauthorized copies of the A/V content **1103**, and provides information for such unauthorized copies to the distribution server **1101** so that it can update the database **1107** with such information. An example of such a detection server subsystem is described in reference to **900** of **FIG. 9**, where the detection server **1116** and the ID detector **1117** in **FIG. 11** perform the functions of their respective counterparts **901** and **902** of **FIG. 9**.

**FIG. 12** illustrates a system **1200** for distributing A/V content **1206**, or portions thereof, in a post-production system to contractors **1202**, **1203** and **1204**, and detecting unauthorized copying of such distributed A/V content through

distribution channels **1213**. In conventional post-production work, a number of different contractors bid on providing specific audio or video production services. Based on a number of factors including the reputation of the bidders and  
5 their bid prices, a publisher or content producer will select a contractor to provide certain services. The system **1200** is an improvement over such conventional approach since it maintains a history of unauthorized copying attributed to various contractors in a database **1217**, and employs a terms  
10 algorithm or formula depending on such history to adjust the contractor bids to determine the awardees.

To illustrate operation of the system **1200** by example, three different contractors are shown (represented by contractor computers **1202**, **1203** and **1204**) that have placed  
15 bids with the publisher (represented by publisher computer **1201**). In the first instance, contractors **1202** and **1203** are awarded the contract for producing certain types of work on the A/V content **1206**. Accordingly, the publisher **1201** distributes a copy of the A/V content **1206** to each contractor  
20 with that contractor's identification embedded in the copy by ID embedder **1218**. The embedding employs a steganographic or watermarking technique. In the course of providing the agreed upon services, the contractor **1202**, however, inappropriately releases the A/V content **1206** to a pirate  
25 duplication and distribution system (represented by distribution channels **1213**).

By sampling the distribution channels **1213** for copies of A/V content **1206**, and providing the sampled A/V content to the detection server **1214**, the identity of the  
30 contractor that inappropriately released the copy of A/V content **1206** can be established by the ID detector **1215** which reads the embedded contractor identification from the sampled

copy of A/V content **1206**. Upon establishing the identity of the contractor, the detection server **1214** can update information in database **1217** that is referred to as the "Bid Structure Database." For subsequent bid negotiations, the publisher computer **1201** functioning as a distribution server such as **601** of **FIG. 6** uses the information on each of the contractor's history of re-distributing content as an element in awarding those subsequent contracts. For instance, the publisher computer **1201** could require contractors that have inappropriately released copies of A/V content previously distributed to them to provide a bid of less than 10% of the other two bidders before considering awarding these subsequent contracts to that contractor. Alternatively, the publisher computer **1201** could automatically remove the redistributing contractor from consideration for subsequent bids. If all contractors had some history of re-distributing content, then various algorithms could be employed to value this history in the bid evaluation process.

Although the various aspects of the invention have been described with respect to preferred embodiments, it will be understood that the invention is entitled to full protection within the full scope of the appended claims. For example, in addition to the examples described herein, there are many other applications of the distribution server system, the detection server system, and systems combining the distribution and detection server systems. One such application is, for example, in-flight entertainment. Also, the A/V content being electronically distributed by the distribution server may be distributed as files that can be stored for future replay by the recipient computer system, or it may be distributed as streaming media for a single play on the recipient computer system such as in a "pay-for-view" scheme. All of these and other possibilities suggested by

the described examples are to be considered within the full scope of the present invention.



CLAIMS

We claim:

1. A computer implemented method for distributing protected material, comprising:

ascertaining terms for providing a protected material to a prospective recipient according at least in part to information of unauthorized copying of other protected material previously provided to said prospective recipient; and

providing or withholding a copy of said protected material to said prospective recipient in accordance with said terms.

2. The method according to claim 1, wherein said ascertaining further includes obtaining said information of unauthorized copying from a database.

3. The method according to claim 1, wherein said providing comprises providing a copy of said protected material to said prospective recipient in the form of a file.

4. The method according to claim 1, wherein said providing comprises providing a copy of said protected material to said prospective recipient in the form of streaming media.

5. The method according to claim 4, wherein said protected material includes audio-visual content.

6. The method according to claim 5, further comprising embedding an identification of said protected material in said copy prior to providing said copy to said prospective recipient.

7. The method according to claim 5, further comprising embedding an identification of said prospective recipient in said copy prior to providing said copy to said prospective recipient.

8. The method according to claim 7, wherein said embedding employs a steganographic technique.

9. The method according to claim 7, wherein said embedding employs a watermarking technique.

10. The method according to claim 7, wherein said identification of said prospective recipient includes a credit card number of said prospective recipient.

11. The method according to claim 7, wherein said identification of said prospective recipient includes an electronic signature of said prospective recipient.

12. The method according to claim 7, wherein said identification of said prospective recipient includes a serial number associated with a computer of said prospective recipient.

13. The method according to claim 7, wherein said identification of said prospective recipient includes an Internet protocol address associated with a network interface card in a computer of said prospective recipient.

14. The method according to claim 7, further comprising encrypting said protected material in said copy of said protected material prior to providing said copy to said prospective recipient.

15. The method according to claim 7, wherein said ascertaining comprises determining a price for providing said protected material to said prospective recipient according to a formula and information of unauthorized copying of other protected material previously provided to said prospective recipient.

16. The method according to claim 15, further comprising receiving an identification of said protected material and said identification of said prospective recipient over the Internet, and said providing of said copy of said protected material to said prospective recipient employs the Internet.

17. The method according to claim 15, wherein said ascertaining comprises:

transmitting said identification of said prospective recipient to a remote server; and

receiving said terms for providing said protected material to said prospective recipient back from said remote server.

18. The method according to claim 17, wherein said providing comprises:

recording said copy of said protected material on a tangible medium; and

providing said tangible medium to said prospective recipient according to said terms.

19. The method according to claim 18, wherein said tangible medium is a compact disc.

20. The method according to claim 18, wherein said tangible medium is a digital versatile disc.

21. An apparatus for distributing protected material, comprising a computer having a first set of program code for:

ascertaining terms for providing a protected material to a prospective recipient according at least in part to information of unauthorized copying of other protected material previously provided to said prospective recipient; and

providing or withholding a copy of said protected material to or from said prospective recipient in accordance with said terms.

22. The apparatus according to claim 21, wherein said ascertaining further includes obtaining said information of unauthorized copying from a database.

23. The apparatus according to claim 21, wherein said providing comprises providing a copy of said protected material to said prospective recipient in the form of a file.

24. The apparatus according to claim 21, wherein said providing comprises providing a copy of said protected material to said prospective recipient in the form of streaming media.

25. The apparatus according to claim 24, wherein said protected material includes audio-visual content.

26. The apparatus according to claim 25, wherein said computer has a second set of program code for embedding an identification of said protected material in said copy prior to providing said copy to said prospective recipient.

27. The apparatus according to claim 26, wherein said computer has a second set of program code for embedding an identification of said prospective recipient in said copy prior to providing said copy to said prospective recipient.

28. The apparatus according to claim 27, wherein said embedding employs a steganographic technique.

29. The apparatus according to claim 27, wherein said embedding employs a watermarking technique.

30. The apparatus according to claim 27, wherein said identification of said prospective recipient includes a credit card number of said prospective recipient.

31. The apparatus according to claim 27, wherein said identification of said prospective recipient includes an electronic signature of said prospective recipient.

32. The apparatus according to claim 27, wherein said identification of said prospective recipient includes a

serial number associated with a computer of said prospective recipient.

33. The apparatus according to claim 27, wherein said identification of said prospective recipient includes an Internet protocol address associated with a network interface card in a computer of said prospective recipient.

34. The apparatus according to claim 27, wherein said computer has a third set of program code for encrypting said protected material in said copy prior to providing said copy to said prospective recipient.

35. The apparatus according to claim 27, wherein said ascertaining comprises determining a price for providing said protected material to said prospective recipient according to a formula and information of unauthorized copying of other protected material previously provided to said prospective recipient.

36. The apparatus according to claim 35, wherein said first set of program code is further for receiving an identification of said protected material and said identification of said prospective recipient over the Internet, and said providing of said copy of said protected material to said prospective recipient employs the Internet.

37. The apparatus according to claim 35, wherein said ascertaining comprises:

transmitting said identification of said prospective recipient to a remote server; and

receiving said terms for providing said protected material to said prospective recipient back from said remote server.

38. The apparatus according to claim 37, wherein said providing comprises:

recording said copy of said protected material on a tangible medium; and

providing said tangible medium to said prospective recipient according to said terms.

39. The apparatus according to claim 38, wherein said tangible medium is a compact disc.

40. The apparatus according to claim 38, wherein said tangible medium is a digital versatile disc.

41. A computer implemented method for generating a database of unauthorized copying of protected material, comprising:

detecting at least one identification embedded in a copy of protected material procured from a distribution channel; and

storing information of said protected material according to said at least one identification in a database so as to be indicative of unauthorized copying of said protected material.

42. The method according to claim 41, wherein said at least one identification includes a content identification identifying said protected material, and a recipient identification identifying a recipient of said protected material.

43. The method according to claim 42, wherein said at least one identification has been embedded in said protected material by a steganographic technique.

44. The method according to claim 42, wherein said at least one identification has been embedded in said protected material by a watermarking technique.

45. The method according to claim 42, wherein said protected material includes audio-visual content.

46. The method according to claim 45, wherein said recipient is an original purchaser of said copy of said protected material.

47. The method according to claim 46, wherein said recipient identification is a credit card number of said original purchaser.

48. The method according to claim 45, wherein said recipient is an independent contractor involved in post-production work on said protected material.

49. The method according to claim 45, further comprising procuring said copy of said protected material over the Internet.

50. The method according to claim 49, wherein said procuring comprises:

contacting a list server; and

downloading a copy of a selected protected material from an on-line client identified by said list server.



51. The method according to claim 49, wherein said procuring comprises:

searching for a selected protected material; and  
downloading a coy of said selected protected material from an on-line client identified as a result of said searching.

52. An apparatus for generating a database of unauthorized copying of protected material, comprising a computer having a first set of program code for:

detecting at least one identification embedded in a copy of protected material procured from a distribution channel; and

storing information of said protected material according to said at least one identification in a database so as to be indicative of unauthorized copying of said protected material.

53. The apparatus according to claim 52, wherein said at least one identification includes a content identification identifying said protected material, and a recipient identification identifying a recipient of said protected material.

54. The apparatus according to claim 53, wherein said at least one identification has been embedded in said protected material by a steganographic technique.

55. The apparatus according to claim 53, wherein said at least one identification has been embedded in said protected material by a watermarking technique.

56. The apparatus according to claim 53, wherein said protected material includes audio-visual content.

57. The apparatus according to claim 56, wherein said recipient is an original purchaser of a copy of said protected material.

58. The apparatus according to claim 57, wherein said recipient identification is a credit card number of said original purchaser.

59. The apparatus according to claim 56, wherein said recipient is an independent contractor involved in post-production work on said protected material.

60. The apparatus according to claim 56, wherein said computer has a second set of program code for procuring said protected material over the Internet.

61. The apparatus according to claim 60, wherein said procuring comprises:  
contacting a list server; and  
downloading a copy of a selected protected material from an on-line client identified by said list server.

62. The apparatus according to claim 60, wherein said procuring comprises:  
searching for a selected protected material; and  
downloading a copy of said selected protected material from an on-line client identified as a result of said searching.

63. An apparatus for distributing protected material, comprising:

a detection server having a first program for detecting identifications embedded in copies of protected materials procured from at least one distribution channel, and storing information of said protected materials according to said identifications in a database so as to be indicative of unauthorized copying of said protected material; and

a distribution server having a second program for ascertaining terms for providing a protected material to a prospective recipient according at least in part to said information in said database, and providing or withholding a copy of said protected material to said prospective recipient in accordance with said terms.

64. The apparatus according to claim 63, wherein said protected material includes audio-visual content.

65. The apparatus according to claim 64, wherein said distribution server has a third program for embedding an identification of said protected material in said copy prior to providing said copy to said prospective recipient.

66. The apparatus according to claim 65, wherein said third program is further for embedding an identification of said recipient in said copy prior to providing said copy to said prospective recipient.

67. The apparatus according to claim 66, wherein said embedding employs a steganographic technique.

68. The apparatus according to claim 66, wherein said embedding employs a watermarking technique.

69. The apparatus according to claim 64, wherein said ascertaining comprises determining a price for providing said protected material to said prospective recipient according to a formula and said information in said database.

70. The apparatus according to claim 69, wherein said second program is further for receiving a content identification of said protected material and a recipient identification of said prospective recipient over the Internet, and said providing of said copy employs the Internet.

71. The apparatus according to claim 64, wherein said detection server has a fourth program for procuring said protected material from at least one distribution channel over the Internet.

72. The apparatus according to claim 71, wherein said procuring comprises:

contacting a list server; and

downloading selected protected materials from on-line clients identified by said list server.


73. The apparatus according to claim 71, wherein said procuring comprises:

searching for selected protected materials; and


downloading said selected protected materials from on-line clients identified as a result of said searching.

# ABSTRACT OF THE DISCLOSURE

A distribution server distributes A/V content to a recipient according to terms determined from information stored in a database of prior unauthorized copying attributed to that recipient. The copy distributed to the recipient includes identifications of the content and recipient embedded in it by an ID embedder employing a steganographic or watermarking technique. A detection server detects embedded ID's in A/V content sampled from various distribution channels, and provides the ID information to the distribution server to update the database of prior unauthorized copying.




**FIG. 1**  
**PRIOR ART**




**FIG.2**  
**PRIOR ART**

200




**FIG.3**  
**PRIOR ART**







**FIG.4**  
**PRIOR ART**



**FIG.5**  
**PRIOR ART**



**FIG. 6**



**FIG. 7**

800





FIG.8



**FIG.9**

1000






FIG.10



**FIG.11**





**FIG.12**

**COMBINED DECLARATION AND POWER OF ATTORNEY**

**As a below named inventor, I hereby declare that:**

This declaration is of the following type:

original

**INVENTORSHIP IDENTIFICATION**

My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**TITLE OF INVENTION**

***METHOD AND APPARATUS FOR DETERMINING DIGITAL AV CONTENT DISTRIBUTION  
TERMS BASED ON DETECTED PIRACY LEVELS***

**SPECIFICATION IDENTIFICATION**

The specification of which:

is attached hereto being mailed under Express Mail EM540362032US

**ACKNOWLEDGEMENT OF REVIEW OF PAPERS AND DUTY OF CANDOR**

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56,

and which is material to the examination of this application; namely, information where there is a substantial likelihood that a reasonable Examiner would consider it important in deciding whether to allow the application to issue as a patent, and

In compliance with this duty there is attached an Information Disclosure Statement in accordance with 37 CFR §1.98.

**PRIORITY CLAIM (35 U.S.C. §119 (a) -(d))**

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate or Section 365(a) of any PCT international application(s) designating at least one country other than the United States of America listed below, and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

☒ No such applications have been filed.

**A. Prior foreign/PCT application(s) filed within 12 mos. (6 mos. for design) prior to this application, and any priority claims under 35 U.S.C. §119**

<u>Country/PCT</u>	<u>Application No</u>	<u>Date Filed</u>	<u>Priority Claimed</u>
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No

**B. All foreign application(s), if any, filed more than 12 mos. (6 mos for design) prior to this U.S. application**

Country:  
Application No:  
Filing date:

**PRIORITY CLAIM (35 U.S.C. 119E)**

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional applications) listed below:

Serial Number: Filing Date:

**PRIORITY CLAIM (35 U.S.C. §120)**

I hereby claim the benefit under Title 35, United States Code, §120, of any United States application(s) or Section 365c of any PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information that is material to the examination of this application (namely, information where there is substantial likelihood that a reasonable Examiner would consider it important in deciding whether to allow the application to issue as a patent) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.

☐ No such applications have been filed

Serial No.	Filing Date	Patented	Pending	Abandoned
------------	-------------	----------	---------	-----------

### POWER OF ATTORNEY

I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

FRANK NGUYEN - REGISTRATION NO. 37790  
GEORGE B. ALMEIDA - REGISTRATION NO. 20,196  
VICTOR OKUMOTO REGISTRATION NO 35,973

**Send correspondence to:**

**Direct telephone calls to:**

FRANK NGUYEN  
1341 ORLEANS DRIVE  
SUNNYVALE, CA. 94089  
FAX: 408-743-9659

FRANK NGUYEN - 408-743-8424

### DECLARATION

*I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and, further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Sec. 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.*

Full name of **sole or first** inventor: MARK A. HOLLAR

Inventor's  
Date: Nov. 7, 2000

signature: Mark A. Hollar

Residence: 3395 BIRCH STREET

Post Office Address: PALO ALTO, CALIFORNIA 94306

UNITED STATES

Country of Citizenship: US

(Declaration ends with this page)